

=> d his ful; d que sta

(FILE 'HOME' ENTERED AT 18:19:55 ON 08 MAY 2008)

FILE 'REGISTRY' ENTERED AT 18:20:19 ON 08 MAY 2008

L1 STRUCTURE UPLOADED
L2 STRUCTURE UPLOADED
L3 STRUCTURE UPLOADED
 D L2
 D L3
 D L1
L4 135 SEA SSS FUL L2
L5 2 SEA SUB=L4 SSS FUL L3
L6 2 SEA SUB=L5 SSS FUL L1
 D L6 1-2 SQIDE

FILE 'ZCAPLUS' ENTERED AT 18:24:00 ON 08 MAY 2008

L7 4 SEA ABB=ON PLU=ON L6
 D L7 1-4 IBIB

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 MAY 2008 HIGHEST RN 1019993-29-3

DICTIONARY FILE UPDATES: 7 MAY 2008 HIGHEST RN 1019993-29-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

FILE ZCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS is strictly prohibited.


FILE COVERS 1907 - 8 May 2008 VOL 148 ISS 19
FILE LAST UPDATED: 7 May 2008 (20080507/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate
substance identification.

L1


STR



Structure attributes must be viewed using STN Express query preparation.


L2

STR



Structure attributes must be viewed using STN Express query preparation.

L3 STR



Structure attributes must be viewed using STN Express query preparation.

L4 135 SEA FILE=REGISTRY SSS FUL L2
 L5 2 SEA FILE=REGISTRY SUB=L4 SSS FUL L3
 L6 2 SEA FILE=REGISTRY SUB=L5 SSS FUL L1
 L7 4 SEA FILE=ZCAPLUS ABB=ON PLU=ON L6